

Message

---

**From:** Lin, James [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=593F887216C4486A85D9E304DC8E4D73-JAMES LIN]  
**Sent:** 9/12/2020 12:14:07 PM  
**To:** Antoline, Joshua [antoline.joshua@epa.gov]  
**Subject:** FW: Aldicarb - EDWC for surface water  
**Attachments:** Surface Water Drinking Water Concentrations 09022020.docx; FL2pH7.SWI; FL2pH7\_FLcitrusSTD\_Reservoir\_Parent\_Calendex.rdf; FL2pH7\_FLcitrusSTD\_Reservoir\_Parent.txt

Josh:

This is also for your information – effort to do the calendex run  
Thanks much.

Jim

---

**From:** Lin, James  
**Sent:** Wednesday, September 02, 2020 10:02 AM  
**To:** Wente, Stephen <Wente.Stephen@epa.gov>  
**Cc:** Blankinship, Amy <Blankinship.Amy@epa.gov>  
**Subject:** Aldicarb - EDWC for surface water

Hi,

## Ex. 5 Deliberative Process (DP)

Thanks much,  
Jim

Ps. Steve, I have all PWC input files. Let me know if you need them.